

SAMSUNG

SCX-5935FN Monochrome Laser Multifunction Printer

A complete office solution in a compact package.



Samsung SCX-5935FN

The more efficient your equipment, the more efficient you can be. The Samsung SCX-5935FN is the workgroup copy/print/scan/fax machine for those who want to maximize the amount of work they do in a minimal amount of time. Allowing more time to relax and enjoy the accomplishments of the day.

The SCX-5935FN is a high-performance machine.

Fast and High Performance Keep up with busy workgroups with speeds of 35 ppm and a duty cycle of up to 80,000 pages per month.

High Paper Capacity A 50-sheet multipurpose tray that can accept three different sizes of paper, standard 500-sheet cassette and optional 500-sheet cassette add up to 1,050 pages for more work with fewer trips to restock paper.

Multi-Format Versatility The SCX-5935FN can print all of the most popular formats, including PostScript, PCL, PDF and TIFF files, making it a flexible team player in your office.

Economical Duplex Scanning and Printing Scanning both sides of a document and printing on both sides of a page saves time, saves money and is easier on the environment.

The SCX-5935FN is a powerful scanner.

Color Scanner The SCX-5935FN's enhanced scanning resolution (4800 x 4800 dpi) and color CCD give you the finest quality images for your documents. It's also an easy way to capture and store information from hard copy documents.

Scan to Network You can store and share documents easily by converting them to a PDF, TIFF or JPEG file. Then you can send it directly to any server or PC, or anywhere else on your network.

Network Scan Management with LDAP Scan-to-email provides address book functionality using an LDAP server. The LDAP (Lightweight Directory Access Protocol) is a networking protocol for querying and modifying directory services running over TCP/IP. With this feature, the most up-to-date email address book will always be available. PDF, JPEG and TIFF file formats are supported for digital scanning, and settings for SMB, FTP and LDAP servers should be executed through SyncThru™ Web Service.

The SCX-5935FN is secure.

Secure Print Send a confidential job to the SCX-5935FN, and it will hold the job until you release it with your password at the touch screen.

Image Overwrite Data is stored using 128 bit encryption. Image overwrite electronically "shreds" data stored on the hard drive automatically after every job as scheduled by an administrator.

Fax Security Network and phone lines are isolated to eliminate incoming fax-based network virus attacks. Incoming faxes can be set to print only when you authorize them at the touch screen control panel.



The SCX-5935FN features Easy Eco Driver, winner of BLI's Outstanding Achievement in Innovation award, which lets users easily reduce toner usage to save money and conserve resources.

Samsung eXtensible Open Architecture (XOA) means a custom solution.



Customizable to Your Business The Samsung SCX-5935FN is also available as the SCX-5935NX, which features a built-in platform that allows developers to create customized embedded applications. Based on open standards, Samsung XOA enables the SCX-5935NX to meet the specific needs of every customer's business. For more information on the SCX-5935NX, please visit samsung.com/us/printersolutions.


Samsung Cost-Saving, Security and Productivity Solutions

Samsung offers intelligent devices with a variety of solutions that securely increase office productivity and saving.

Managed Print Services	Document Management/Workflow	Job Accounting/Pull Printing	Premium Security
<ul style="list-style-type: none"> Compass GreatAmerica Financial Services LMI MWAI^Δ PrintFleet 	<ul style="list-style-type: none"> DPD - GoldFax^Δ Drive^Δ Intellinetics^Δ MaxxVault^{***Δ} Omtool Perceptive^Δ Prism^Δ SmarThru 3 (Workflow)[*] 	<ul style="list-style-type: none"> Bits^Δ CopyTrax EFI Equitrac^Δ Genius Bytes^Δ ITC Jetmobile OCM^Δ PaperCut^Δ Pharos^Δ Prism^Δ SafeCom^Δ Vendapin 	<ul style="list-style-type: none"> Common Access Card (CAC)[*] Common Criteria[*] Relyco RF IDeas
Mobile Productivity with Mobile Print	Forms	Device Management	Print Compatibility
<ul style="list-style-type: none"> CORTADO EFI Print, Fax and Scan App[*] 	<ul style="list-style-type: none"> Gravic Objectif Lune Prism^Δ Ubiquitech^Δ 	<ul style="list-style-type: none"> SyncThru[*] (Web Admin) SyncThru 6[*] (Web Services) 	<ul style="list-style-type: none"> AS400 Cerner Citrix IPDS^{**} Linux McKesson Meditech SAP Unix Windows

SCX-5935FN Features

1. 70-Sheet DADF (Duplex Automatic Document Feeder) Scans both sides of the page for automatic duplex printing, saving time and money
2. Document Width Guides Minimizes jams and keeps your job printing smoothly
3. Document Input Tray Auto document feeder adds speed to small jobs
4. Document Output Tray ADF system adds speed and convenience
5. USB Port Print from and scan to files without a PC
6. Touch Screen Control Panel Large 7" color LCD is intuitive
7. Document Output Tray 250-sheet output makes big jobs easier
8. Multi-Purpose Tray 50-sheet multipurpose tray for non-standard media
9. Paper Tray 500-sheet capacity lets you load up for big jobs
10. Paper Supply Indicator Shows how much paper remains
11. Power Switch ENERGY STAR®-certified to use less power
12. Power Cord Receptacle ENERGY STAR-certified to use less power
13. Service Host Port Allows firmware downloads and enables Samsung's Embedded Solutions Platform
14. USB Port Ready to plug in
15. Ethernet Port Easily connects to your existing network
16. Telephone Socket (Top) and Extension Telephone Socket (Bottom) Easily connects to your existing system
17. Toner High-yield cartridge yields 10,000 pages*



Easy-to-Use 7" Touch Screen LCD Control Panel

- Intuitive touch screen operation is easy to learn and navigate, making user training a snap.
- Control security and manage your jobs right from the control panel. Enter codes to access jobs. Rearrange jobs in the queue for maximum efficiency.
- Advanced fax functions such as email forwarding can be easily managed from the touch screen control panel.

Touch Screen Panel

1. Machine Setup Quick and intuitive setup
2. Job Status Reprioritize jobs for efficiency
3. Status Lets you know you're online
4. Screen 7" color touch screen is highly intuitive
5. Number Keypad Allows entry of up to 500 access codes
6. Clear Lets you re-enter information
7. Redial/Pause Saves time
8. On-Hook Dial Lets you hear dial tone so you can navigate an automated answering system
9. Interrupt Lets you interrupt one job to perform another
10. Clear All Restores all custom settings to defaults
11. Power Saver Puts unit to sleep after inactivity to save power
12. Stop Button Lets you cancel a job and begin again
13. Start Button Starts copying/printing at speeds up to 35 cpm/ppm



Specifications	SCX-5935FN
Print	
Speed Mono/Duplex Print	Up to 35 ppm in Letter/Up to 18 ppm (Standard)
First Print Out Time (Mono)	Less than 8.5 seconds (From Ready mode)
Resolution	Up to 1200 x 1200 dpi effective output
Processor/Emulation	360 MHz/PCL5e, PCL6, PostScript Level3, PDF 1.4, TIFF
Copy	
Speed	Up to 35 cpm in Letter (Simplex), Up to 18 cpm (Duplex)
Resolution	Up to 1200 x 1200 dpi effective output
First Copy Out Time	Platen: Less than 9.5 seconds (From Ready mode), DADF: Less than 11.5 seconds (From Ready mode)
Zoom Rate	25-400% (Platen), 25-200% (ADF)
Multi Copy/Duplex Copy	1-999 pages/Standard (1:2, 2:2, 2:1)
Copy Features	ID Copy, 2-up, 4-up, Poster Copy, Clone Copy, Collation Copy, Auto-fit, Book Copy, Margin Shift, Covers, Transparencies, Booklet, Save to File, Erase Edge, Book Center Erase, Page Numbering, Time & Date Stamp, ID Stamp, Erase Background
Scan	
Compatibility/Method	TWAIN Standard, WIA Standard/Color CCD
Resolution (Optical/Enhanced)	Up to 600 x 600 dpi/Up to 4800 x 4800 dpi
Scan To	PC, Email, USB Memory, FTP, SMB
Effective Scan	Platen: 11.6" x 8.2", DADF: 13.7" x 8.2"
Bit Depth	Color Internal: 36 bit, External: 24 bit, BW: 1 bit for test mode, 8 bit for gray mode, Grayscale 256 levels
Other	Security email via SSL; Network Authentication; (SMB, LDAP, Kerberos)
Fax	
Compatibility/Mode	ITU-T G3 (MH/MR/MMR/JBIG/JPEG)
Modem Speed/Resolution	33.6Kbps/Standard: 203 x 98 dpi, Fine/Photo: 203 x 196 dpi, Super Fine: 300 x 300 dpi, Color: Up to 200 x 200 dpi
Memory	HDD Backup (Receive: Approx. 2,000 pages, Send: Approx. 500 pages)
Auto Dial	Speed dial: 200 Locations, Up to 100 group dial locations
Fax Features	On-hook Dial, Auto Redial, Last Number Redial, Auto Reduction, Multi-send, Delayed Send, Fax Forwarding (Email/Fax), Broadcasting up to 209 locations
Paper Handling	
Input Capacity and Types	500-sheet Cassette Tray, 50-Sheet Multipurpose Tray, 16 to 28 lb./60 to 105 gsm
Output Capacity and Types	250-sheet Face Down
Media Size	3" x 5" - 8.5" x 14"
Media Type	Plain, Thin, Thick, Recycled, Cotton, Transparency, Label, Cardstock, Bond, Envelope, Archive, Pre-Printed, Colored
DADF Capacity	70-sheet, 16 to 43 lb./60 to 163 gsm
ADF/Document Size	Width: 5.6" - 8.5" Length: 5.8" - 14"
General	
LCD	7" WVGA (800 x 480) Color Touch Screen
Memory/Storage	256MB (Max. 512MB) / 80GB HDD
OS Compatibility	Microsoft Windows 2000, XP (32/64bit), 2003 (32/64bit), Vista (32/64bit), Win8 / OS 10.5 – 10.7 / RedHat 8 – 9, Fedora Core 1–4, Mandrake 9.2 – 10.1, SuSE 8.2 – 9.2, Netware 5.x, 6.x (TCP/IP Only), Unix (HP-UX, Solaris, SunOS, SCO)
Interface	Hi-Speed USB 2.0, Ethernet 10/100 BaseTX
XOA (eXtensible Open Architecture)	SCX-5935NX only
Noise Level	Less than 52 dBA (Printing), Less than 54 dBA (Copying), Less than 39 dBA (Standby)
Duty Cycle, Monthly	80,000 pages
Dimension (W x D x H)	19.6" x 18.3" x 21.5"
Weight (with consumables)	50.88 lbs.
Power Consumption	Sleep mode: 25W, Ready mode: 100W, Avg. 600W
Power Requirement	110-127V AC (-10% - 6%)/7A
Operating Conditions	Temperature: 10-32°, Humidity: 20-80% RH
Security	Image Overwrite Security, SSL, Authentication, HTTPS, SecurePrint, SecureFax, SNMPV3, IP filtering, IEEE 802.1x, CC Certification, Access Card Support (Optional), CAC and L Proximity
Consumables	
Yield*	High Yield: Average Cartridge Yield 10,000 standard pages (Ships with 4,000 pages Starter Toner Cartridge)
Type	Single Cartridge
Model Code	MLT-D206L
Options	
Options	500-sheet Cassette Tray, Memory: 256MB, Samsung's Embedded Solutions Platform Enabler Kit, CAC Option: SOL-CACV1

*Declared Cartridge Yield in accordance with ISO/IEC 19752

Product Support: 1-866-SAM4BIZ | 1-800-SAMSUNG | samsung.com/printer

Follow us:  @SamsungBizUSA |  youtube.com/samsungbizusa



©2013 Samsung Electronics America, Inc. Samsung is a registered mark of Samsung Electronics Corp., Ltd. Specifications and design are subject to change without notice. Print speed will be affected by operating system used, computing performance, application software, connection method, media type, media size and job complexity. Copy speed is based on single document multiple copy. Non-metric weights and measurements are approximate. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective manufacturers and companies. Printed in the USA on 50% recycled (25% post-consumer waste) paper using soy inks. PNT-SCX5935FNBRO-JUL13T

